

Powerful A3 black & white
multifunction printers

IM 2510

IM 3510

IM 4510

IM 6010

IM 7010

☑ Printer ☑ Copier ☑ Scanner ☑ Fax



IM 2510

25 ppm

IM 3510

35 ppm

IM 4510

45 ppm

IM 6010

60 ppm

IM 7010

70 ppm

Secured, Sustainable Performance from Day One

The RICOH IM Series isn't just the market leader in environmental performance—it redefines what sustainable multifunction printers can achieve in high-volume environments.

These intelligent black and white A3 devices power through demanding workloads while keeping operations both simple and secure. Print, copy, scan, and fax through an intuitive interface that has teams

productive from day one. Safeguard your data without added complexity with advanced security protocols. And as your organization evolves, the IM Series scales right alongside you.

The IM Series delivers performance that matches your demands—all in an eco-conscious package that reflects your values.

Streamlined Productivity for Every Task

The IM Series multifunction printers (MFPs) are designed around how you actually work, delivering an intuitive user experience that makes completing everyday tasks simple and efficient.



Third-Generation Smart Operation Panel (G3.0)

Experience a responsive, high-performance interface with advanced capabilities:

- Navigate menus and complete tasks quickly with powerful CPU performance
- Smooth operations with a responsive touchscreen
- Provide visibility for all users with an accessibility-focused, tiltable panel
- Conserve energy automatically with panel technology that maintains low power usage during Sleep Mode



The Right Capabilities for Your Office

Get comprehensive solutions with a choice of models and options built for performance and designed for your diverse needs:

- Choose the model that best fits your volumes and workflows with print speeds from 25 ppm up to 70 ppm
- Maximize productivity with complete finishing capabilities— 500-sheet internal stapling, 3,000-sheet booklet finishing, internal multi-fold units—and the flexibility to run heavy stock through standard trays
- Digitize stacks of paper documents in seconds with a single-pass document feeder that scans up to 150 images per minute (ipm) in simplex and 300 ipm in duplex
- Handle diverse media with the ability to scan paper weights up to 220 gsm and sizes as small as business cards



Stay Secured, Stay Ready

Always Current Technology

Keep your devices running at peak performance without adding strain on your IT team. Ricoh's Always Current Technology ensures optimal efficiency and minimal downtime by delivering new features, applications, and security enhancements directly to your device either automatically or by request.



Advanced Protection for Robust Security

The IM Series MFPs offer a full suite of industry-standard security features that help block unauthorized access with built-in protection.

- **TLS 1.3 support:** Enhanced encryption protocols protect data in transit
- **Expanded privileged account controls:** Create unlimited admin roles with different privileges linked to Windows and LDAP platforms
- **Trusted Platform Module 2.0:** Improved encryption strength protects passwords and encryption keys stored in the device
- **Authentication Options:** Easily control device access with support for a variety of authentication methods including proximity/smart cards and mobile credentials





Consistent Sustainable Performance

Ricoh devices have industry-leading environmental performance, enabling businesses to meet their sustainability goals while still maintaining productivity.

- **Sustainable construction:** Support sustainability goals with mainframes that consist of 40% post-consumer recycled plastic
- **Low Typical Electricity Consumption:** Reduce operational costs with some of the lowest TEC values in the industry
- **Achieving over a 40% reduction in single-use plastics:** Minimize waste with sustainable packaging materials



Build on a platform designed for growth.

Maximize your IM Series investment with software solutions from Ricoh and our technology partners. Add functionality as your operation demands, extending capabilities without hardware replacement to protect the value of your investment over time.



RSS

Ricoh Smart Suite allows you to personalize and enhance the capabilities of your device with applications and solutions readily available from the cloud.

RICOH CloudStream

Simplify print, scan, and device management with a flexible cloud-based platform that reduces IT workload.

RICOH Streamline NX

A scalable, integrated document management solution designed to optimize print, device, and scan management within mid-market and enterprise organizations.



Printing Managed Services

Ricoh Printing Managed Services (MPS) is a complete suite of on-site and remote hardware, software and managed services to ensure structured document printing and capture to support organizations of all sizes to optimize their printing infrastructure, reduce costs, improve information security and increase productivity.

Discover Which Device Matches Your Needs

The new IM Series combines sophisticated design with strong technical capabilities to match your way of working. Take a closer look.



IM 2510/IM 3510

Intelligent multifunction devices built for your modern office workstyle.

- Prints up to 25 or 35 ppm
- Standard print, copy, scan, and optional fax
- 1,200 x 1,200 dpi max print resolution
- Paper capacity of up to 4,850 pages
- Monthly print volume up to 10,000 impressions for IM 2510 and 20,000 impressions for IM 3510
- Essential multifunction performance for lower print volumes



IM 4510/IM 6010

With impressive speed and productivity, these devices help keep your business moving.

- Prints up to 45, or 60 ppm
- Standard print, copy, scan, and optional fax
- 1,200 x 1,200 dpi max print resolution
- Paper capacity of up to 4,850 pages
- Monthly print volume up to 50,000 impressions
- Balanced performance for mid-size departments with expanding workloads.



IM 7010

New 70 ppm performance for demanding workloads.

- Prints up to 70 ppm
- Standard print, copy, scan, and optional fax
- 1,200 x 1,200 dpi max print resolution
- Paper capacity up to 4,850 pages
- Monthly print volume up to 50,000 impressions
- Engineered for high-volume centralized environments.

RICOH IM 2510/IM 3510/IM 4510/IM 5510/IM 6010/IM 7010

MAIN SPECIFICATIONS

| | IM 2510 | IM 3510 | IM 4510 | IM 6010 | IM 7010 |
|----------------------------------|--|-------------------------|-------------------------|-------------------------|---|
| GENERAL | | | | | |
| Warm-up time | 22 seconds | 22 seconds | 22 seconds | 22 seconds | 22 seconds |
| First print output speed | 4.5 seconds | 4.0 seconds | 3.3 seconds | 2.4 seconds | 2.3 seconds |
| Continuous output speed | 25 ppm | 35 ppm | 45 ppm | 60 ppm | 70 ppm |
| Memory | Mainframe 2GB + SOP 4GB | Mainframe 2GB + SOP 4GB | Mainframe 2GB + SOP 4GB | Mainframe 2GB + SOP 4GB | Mainframe 4GB + SOP 4GB |
| Storage: standard | 256GB Solid State Drive (SSD) | | | | |
| DF capacity | ARDF: 100 sheets / SPDF: 220 sheets | | | | |
| DF paper weight (min/max weight) | ARDF: 40.7-128 gsm / SPDF: 38-220 gsm | | | | |
| DF scan speed | ARDF: 80ipm SPDF: 150ipm(simplex)/300ipm(duplex) | | | | |
| Scan Resolution: maximum | Up to 600 dpi optical; 1,200 dpi (TWAIN) | | | | |
| Weight (including DF) | 89 kg / 196 lbs. | 90 kg / 198 lbs. | 91 kg / 201 lbs. | 91 kg / 201 lbs. | 92 kg / 202 lbs. |
| Dimensions:WxDxH | with ARDF: 23.1" x 27.6" x 36.0" (587 mm x 701 mm x 913mm) with SPDF: 23.1" x 27.6" x 37.9" (587 mm x 701 mm x 963 mm) | | | | SPDF: 23.1" x 28.5" x 37.9" (587 x 724 x 963 mm) |
| Power source | 120-127V 60Hz / 220-240V 50/60Hz | | | | |
| SCANNER | | | | | |
| Compression method file formats | Single Page:TIFF, JPEG, PDF, PDF/A, High Compression PDF, encrypted PDF; Searchable PDF (Option required) Multi Page:TIFF, PDF (Default), PDF/A, High Compression PDF, encrypted PDF; Searchable PDF (Option required) | | | | |
| Scan destination types | E-mail, Folder, USB, URL, FTP, Universal Send (simultaneous fax and scan) | | | | |
| Automatic image adjustment | Image rotation | | | | |
| PRINTER | | | | | |
| Printer language: standard | PCL5e Emulation, PCL6, PostScript®3™ Emulation, PDF Direct Print Emulation | | | | |
| Printer language: option | Genuine Adobe® PostScript®3™, Adobe® PDF Direct Print | | | | |
| Print resolution: maximum | Up to 1200 x 1200 dpi | | | | |
| Network interface | Ethernet 10/100/1000 base-T, USB Host I/F Type A, USB Device I/F Type B, IEEE 802.11 a/b/g/n/ac Wireless Interface (standard); Second Ethernet 10/100/1000 base-T (optional) | | | | |
| Mobile printing capability | Apple AirPrint™, Mopria, Ricoh Smart Device Connector | | | | |
| Windows® environments | Windows 10/11; Windows Server 2016/2019/2022/2025 | | | | |
| Mac OS environments | macOS v12 or later | | | | |
| COPIER | | | | | |
| Multiple copying | Up to 999 copies | | | | |
| Resolution | Up to 600 dpi | | | | |
| Zoom | From 25%-400% in 1% increments; 9 presets (7R/5E) | | | | |
| FAX (OPTIONAL) | | | | | |
| Circuit | PSTN, PBX | | | | |
| Transmission speed | G3: Approx.2 seconds (200x100 dpi, JBIG, ITUT #1 chart TTI off, memory transmission) G3: Approx.3 seconds (200x100dpi, MMR, ITUT #1 chart, TTI off, memory transmission) | | | | |
| Modem speed: maximum | 33.6 Kbps standard with automatic downshift | | | | |
| Resolution: standard/detail mode | 8x3.85 line/mm, 200 x 100 dpi; 8 x 7.7 line/mm, 200 x 200 dpi | | | | |
| Maximum Resolution (with option) | 16x15.4 line /mm, 400x400 dpi | | | | |
| Compression method | MH, MR, MMR, JBIG | | | | |
| Memory: standard | 4 MB (320 pages) | | | | |
| Memory: maximum | 60 MB (4,800 pages) | | | | |

RICOH IM 2510/IM 3510/IM 4510/IM 5510/IM 6010/IM 7010

MAIN SPECIFICATIONS

| | IM 2510 | IM 3510 | IM 4510 | IM 6010 | IM 7010 |
|------------------------|--|--------------|--------------|--------------|--------------|
| PAPER HANDLING | | | | | |
| Recommended paper size | 1st Paper Tray: 8.5" x 11" (A4) 2nd Paper Tray (3rd/4th Tray Option): 5.5" x 8.5" - 12" x 18" (A3-A6, B4-B6), Envelopes Bypass: Up to 12" x 18", Custom sizes: Width: 3.5" - 12.6" (90 - 320 mm), Length: 5.8" - 49.6" (148 - 1260 mm) | | | | |
| Paper input: standard | 1,200 sheets (2 x 550 sheets + 100-Sheet Bypass Tray) | | | | |
| Paper input: maximum | 4,850 sheets | | | | |
| Paper output: standard | 500 sheets 8.5" x 11"(A4) or smaller; 250 sheets 9.8" x 13.9" (B4) or larger | | | | |
| Paper output: maximum | 1,625 sheets | 1,625 sheets | 3,625 sheets | 3,625 sheets | 3,625 sheets |
| Paper weight | Standard Trays: 16 - 80 lb. (60 - 300 g/m ²) Bypass Tray: 14 - 80 lb. (52 - 300 g/m ²) IM 2510: 14 - 45lb(52 - 169 g/m ²) Duplex Unit: 14 - 68 lb. (52 - 256 g/m ²) | | | | |
| Paper types | Plain, Recycled, Special, Colored, Letterhead, Cardstock, Pre-printed, Coated, Envelope, Label, Gloss | | | | |

ENVIRONMENTAL FEATURES

| | | | | | |
|----------------------------------|-------------------|-----------------|-----------------|-----------------|-----------------|
| Power consumption: maximum | Less than 1,584 W | | | | |
| Power consumption operation: B&W | 479 W | 506 W | 613 W | 744 W | 930.9 W |
| Power consumption: ready/sleep | 48.4 W / 0.03 W | 46.4 W / 0.03 W | 48.6 W / 0.03 W | 48.6 W / 0.29 W | 49.2 W / 0.29 W |
| TEC value | 0.24 kWh / week | 0.34 kWh / week | 0.44 kWh / week | 0.67 kWh / week | 0.69 kWh / week |

* A reference value based on the ENERGY STAR Ver. 3.2 test method.

CONSUMABLES

| | | | | | |
|---|---------------|---------------|---------------|---------------|---------------|
| Toner (black) | 30,100 prints | 30,100 prints | 42,900 prints | 42,900 prints | 42,900 prints |
| Consumable yields based on 5% coverage on A4 paper. | | | | | |

PAPER SUPPLIES AND FINISHER OPTIONS

2x 550-sheet paper tray, 2,000-sheet large capacity tray, 1,650-sheet side large capacity tray, 1,000-sheet hybrid finisher, 1,000-sheet booklet finisher, 500-sheet internal finisher, internal shift tray, one-bin tray, punch units, internal multi-fold unit, 3,000-sheet finisher (IM 4510/IM 6010/IM 7010 only), 3,000-sheet booklet finisher (IM 4510/IM 6010/IM 7010 only), stapleless unit

OTHER OPTIONS

Fax unit, G3 Interface, fax memory unit, cabinet, Genuine Adobe PostScript(R) 3, OCR unit, IPDS (Intelligent Printer Data Stream) unit, SSD, Card reader.

Notes

- Some options may not be available at the time of market release.
- Specifications are subject to change without notice.
- For maximum performance and yield, we recommend using genuine Ricoh parts and supplies.
- Some features may require additional options and/or charges.
- Some options may not be installed depending on the model.



RICOH Subsidiaries:

RICOH Argentina S.A.
www.ricoh-americalatina.com/
es-ar

RICOH Brasil S.A.
www.ricoh-americalatina.com/
pt-br

RICOH Chile S.A.
www.ricoh-americalatina.com/
es-cl

RICOH Colombia S.A.
www.ricoh-americalatina.com/
es-co

RICOH Costa Rica S.A.
www.ricoh-americalatina.com/
es-cr

RICOH Dominicana, S.R.L.
www.ricoh-americalatina.com/
es-do

RICOH El Salvador, S.A. de C.V.
www.ricoh-americalatina.com/
es-sv

RICOH Guatemala, S.A.
www.ricoh-americalatina.com/
es-gt

RICOH Mexicana, S.A.
www.ricoh-americalatina.com/
es-mx

RICOH del Perú S.A.C.
www.ricoh-americalatina.com/
es-pe

RICOH Panamá, S.A.
www.ricoh-americalatina.com/
es-pa

RICOH Puerto Rico, Inc.
www.ricoh-americalatina.com/
es-pr

Distribution Centers:

**RICOH Distribution Center
Panamá**

**RICOH Operations Center
Uruguay**
www.ricoh-americalatina.com/
es-uy

Authorized Dealers:

BRC Printing, Belize
www.brcprinting.com

Cariburo, St. Martin (French)

**Copiadora Ecuatoriana
SAS-ECUACOPIA, Ecuador**
www.grupoecuacopia.com

**Copy Solution International
S.A., Dom. Republic**
www.grupocsi.com.do

D.O.S. 2009, Ltd, Jamaica
www.dosjm.com

Dima Ltda, Bolivia
www.dima.com.bo

Dimacofi S.A., Chile
www.dimacofi.cl

**Diplux de Venezuela C.A.,
Venezuela**
www.diplux.com.ve

Estratec S.A. de C.V., México
www.estrateg.com

External Market S.A., Argentina
www.external-market.com.ar

Hermoso y Vigil S.A., Nicaragua
www.hermosoyvigil.com.ni

J. Fleischman, Paraguay.
www.jfleischman.com

Videocorp A RICOH Company
www.videocorp.com

Valuetech A RICOH Company
www.valuetech.cl

**John Bull Business Center,
Bahamas**

**Kirk Office Equipment,
Cayman Islands**
www.kirkoffice.ky

**Amaranth Business Solutions
Limited, Trinidad/Barbados/
Jamaica**
www.
amaranthbusinessolutions.com

**Microtech Sales and Service
Ltd., Bahamas**

**Multipost, Curacao
(Netherland Antilles)**
www.multipost.com

Office Star, Haiti
www.offistar.net

Plus Ultra, Uruguay
www.plusultra.com.uy

**Sistemas Operativos
Argentinos S.A., Argentina**
www.sistemas-operativos.com.ar

**Suministros Técnicos S.A.,
Honduras**
www.sumitec.hn

Technoma, Paraguay
www.technoma.com.py

Go2neXt - A RICOH Company
www.go2next.com.br/en

Ricoh LATAM

Please contact us for more information at:



www.ricoh-americalatina.com/en



Ricoh Latin America Inc



RicohLatinAmerica



RicohLatinAmerica



ricohlatinamerica



ricohla

RICOH
imagine. change.

All rights reserved Ricoh LATAM. Ricoh and the Ricoh logo are registered trademarks of Ricoh Company, Ltd. All other trademarks are the property of their respective owners. The content of this document, and the appearance, features and specifications of Ricoh products and services are subject to change from time to time without notice. Products are shown with optional features. While care has been taken to ensure the accuracy of this information, Ricoh makes no representation or warranties about the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any errors or omissions in these materials. Actual results will vary depending upon use of the products and services, and the conditions and factors affecting performance. The only warranties for Ricoh products and services are as set forth in the express warranty statements accompanying them.